



**COMPANY** Designed for constant commercial use.

Since its inception in 1945, Dutro Company has made quality and service our primary goals. We have thousands of satisfied customers who know from experience, the reliability of Dutro products.

Our plant in Logan, Utah, manufactures a complete selection of material handling equipment. Custom fabrication is our specialty. We will build items tailored to your needs or modify a catalog item in large or small quantities. We are committed to continuing the high quality and personal service on which our reputation has been built.

With over 60 years of manufacturing experience, Dutro steel delivery trucks have become the industry standard with its axle welded to the frame for extra stability.

We offer many different styles of hand trucks to suit your particular need. You can choose from a variety of handle and toe plate designs.

All of our steel delivery trucks are electro-statically powder coated.

## INDEX

Appliance	1
Beverage	8
Convertible	13
Curb Ramp	16
Silverline / Cylinder Trucks	18
Delivery	27
Drum Handling	35
Mattress	41
Piano	45
Platform	51
Retail	54
Salesman Truck	61
Service	65
Shovel Nose Truck	69
Specialty	72
Stocking Cart	76
Vending Machine	82
Toe Plate	88
Wheels	90
Replacement Parts	94

Dutro Company is committed to providing its customers with the market's finest products. When we discover a way to improve an existing product, that value is passed along to our customers. The items represented in this catalog may differ from their presentation. All dimensions are approximate and may vary. Dimension changes may be made without notice. Dutro Company carefully checks all products prior to shipment to ensure fitness for service. However, by the nature of their use, these products are subject to wear and tear and, often times, abuse. It is the responsibility of the owner/user to check over the hand truck or cart prior to use and to make repairs as required. Dutro Company takes no responsibility for personal injury or property damage that may occur while using a defective product.



## **CUSTOM FABRICATION**

Dutro welcomes the opportunity to bid modified or custom carts and projects. With over 100,000 sq. feet of state-of-the-art manufacturing equipment, we can handle even large quantity custom work. With our own in-plant five stage washer and powder coat system, we can control quality and lead times. Our experienced staff can help design, modify and bid your new or existing projects. Please contact your local distributor to discuss your material handling needs.

## **DELIVERY**

Dutro delivery line is recommended for the route driver who depends on the durability and versatility of his handtruck. Wide variety of wheel options for all delivery conditions combined with Dutro's unique handle design makes Dutro the best delivery handtrucks available on the market. All axles are welded to the frame for extra stability. Toeplates can be specifically sized for your needs.

## **COMMITMENT**

Dutro Company is committed to providing its customers with the market's finest products. When we discover a way to improve an existing product, that value is passed along to our customers. The items represented in this catalog may differ from their presentation. All dimensions are approximate.

Dutro Company carefully checks all products prior to shipment to ensure fitness for service. However, by the nature of their use, these products are subject to wear and tear and, often times, abuse. It is the responsibility of the owner/user to check over the hand truck or cart prior to use and to make repairs as required. Dutro Company takes no responsibility for personal injury or property damage that may occur while using a defective product.

# APPLIANCE

Designed to make moving appliances easier, the new belt systems and swing out options put Dutro's appliance trucks on top of the market in durability, design and function. The new one belt retract system allows you to do the job easier.

1291, 1292, 1293	2
1404	3
1420SO	4
1504	5
1509	6
1900, 1900P	7



## 1291, 1292, 1293

This truck features a special mechanism - 1 frame 3 different strap styles possible. You can swap out the ratchet strap style, the one piece offset strap, or the two piece offset strap on the same frame with no welding needed.

### Specifications

Capacity	700 lbs
Weight	57 lbs (with ratchet)
Size	58-5/8"H x 23-1/2"W x 13-1/2)L

### Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"
Solid Rubber Wheel



### Special Features

1-piece strap
Also available in 2-piece or ratchet strap

### Toe Plate Size

4-1/2" clear x 27-1/2" wide x 10 gauge
--



# 1404

One belt geared ratchet for quicker, easier use.

## Specifications

Capacity	700 lbs
Weight	64.2 lbs
Size	58-5/8"H x 23-1/2"W x 13-1/2)L

## Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"  
Solid Rubber Wheel



## Special Features

Geared Rachet  
Also available with swing out option 140450

## Toe Plate Size

4-1/2" clear x 27-1/2" wide x 10 gauge



# 1420SO

Our heavy duty appliance trucks are now available with a swing out option to ease the amount of stress on back and legs. Perfect for the professional mover this option will speed up loading and unloading of hard to move items.

## Specifications

Capacity	700 lbs
Weight	82.2 lbs
Size	58-5/8"H x 23-1/2"W x 13-1/2"L

## Toe Plate Size

4-1/2" clear x 27-1/2" wide x 10 gauge

## Swing Out

50"x 42-7/8"



## Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"

Solid Rubber Wheel



## Part # W-C4SP

4" Swivel Pin Caster

1/2" X 13 X 1-1/2" Stem

4"X1-1/4" X 3/8" Ball bearing gray non-marking rubber wheel



### Opening Swing Out

1. Pull and hold "T" handle to release swing out.
2. Raise small wheel assembly into locking position.
3. Release "T" handle and tilt truck into 4 wheel position.

### Closing Swing Out

1. Raise truck into upright position. With foot, push axle forward. Lower small wheel assembly into locking position.
2. Rotate casters into locking position.

1504



Specifications

Capacity	700 lbs
Weight	52.8 lbs
Size	58-1/2"H x 23-1/2"W x 10"L

Part # W-M52

5" X 2" X 5/8"

Mold-on Rubber Wheel



Special Features

Geared Rachet

Toe Plate Size

4-3/8" clear x 23-1/2" wide x 10 gauge





1509

Specifications

Capacity	700 lbs
Weight	53.4 lbs
Size	58-1/2"H x 23-1/2"W x 10"L

Part # W-M52

5" X 2" X 5/8"

Mold-On Rubber Wheel



Toe Plate Size

4-3/8" clear x 23-1/2" wide x 10 gauge

Special Features

Offset handle



# 1900,1900P



## Specifications

Capacity	700 lbs
Weight	58.6 lbs
Size	48-1/8"H x 28-3/8"W x 40-1/2)L

## Special Features

All terrain appliance truck  
14' strap with buckle

## Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

## Part # W-N12

12" X 3-1/2" X 3/4"  
Pneumatic Wheel




## Part # W-SP12

12" X 3" X 3/4"  
Polyurethane Foam  
Flat Free Wheel




# BEVERAGE

BEV58B	9
BEV58B-CL	10
BEV64B	11
BEV64B-CL	12



\*Actual wheels may vary

# BEV58B



\*Actual wheels may vary

## Specifications

Capacity	800 lb
Weight	36.6 lb
Size	58-5/8"H x 15-3/8"W x 16-1/8)L

## Part # W-M82-B34

8" X 2" X 3/4"  
Mold-on Rubber Wheel




## Toe Plate Size

6-1/2" clear x 14" wide x 3/16" thick



## BEV58B-CL



### Specifications

Capacity	800 lbs
Weight	42.2 lb
Size	58-5/8"H x 15-3/8"W x 16-1/8)L

### Toe Plate Size

6-1/2" clear x 14" wide x 3/16" thick

### Part # W-M82-B34

8" X 2" X 3/4"

Mold-on Rubber Wheel



\*Actual wheels may vary

## BEV64B



### Specifications

Capacity	800 lbs
Weight	Weight: 41.4 lb
Size	64-1/2"H x 15-3/8"W x 16-1/8)L

### Part # W-M82-B34

8" X 2" X 3/4"
Mold-On Rubber Wheel



### Toe Plate Size

6-1/2" clear x 14" wide x 3/16" thick

\*Actual wheels may vary

## BEV64B-CL



### Specifications

Capacity	800 lbs
Weight	44 lb
Size	64-1/2"H x 15-3/8"W x 16-1/8)L

### Toe Plate Size

6-1/2" clear x 14" wide x 3/16" thick

### Part # W-M82-B34

8" X 2" X 3/4"

Mold-On Rubber Wheel



\*Actual wheels may vary

# CONVERTIBLE

120M

122M

14

15



\*Actual wheels may vary

## 120M (3-way)



### Specifications

Capacity	800 lb
Weight	59.8 lbs
Size	51-3/8"H x 20"W

### Toe Plate Size

9" clear x 14" wide x 1/4" thick

### Part # W-M82-B58

8" X 2" X 5/8"  
Mold-On Rubber Wheel



### Part # W-C4SP

4" Swivel Pin Caster  
1/2" X 13 X 1-1/2" Stem  
4"X1-1/4" X 3/8" Ball bearing gray  
non-marking rubber wheel



#### 45° Tilt

1. Rotate locking mechanism, lean handle backwards, and lower the deck and rear casters to snap into 45° position

#### Platform

1. Release spring loaded pin to shift into platform position

## 122M (2-way)



\*Actual wheels may vary

### Specifications

Capacity	600 lbs
Weight	51 lbs
Size	50-3/8"H x 20"W

### Toe Plate Size

9" clear x 14" wide x 1/4" thick



### Part # W-M82-B58

8" X 2" X 5/8"  
Mold-On Rubber Wheel



### Part # W-C4SP

4" Swivel Pin Caster  
1/2" X 13 X 1-1/2" Stem  
4"X1-1/4"X 3/8" Ball bearing gray  
non-marking rubber wheel



#### Platform

1. Rotate locking mechanism, lean handle backwards and lower the deck and casters to the horizontal position

# CURB RAMP

CR24X26

---

17

## CR-24X26

### Specifications

Capacity	800 lb
Weight	17 lb
Size	25-1/2"W x 23-7/8"L

### Special Features

Made From Treadbrite Aluminum



## SILVERLINE / CYLINDER

950	19
960	20
D-4WS-CYKO	21
D-CYKO	22
D-LC126, D-LC126N	23
D-LCA126, D-LCA126N	24
R-DTT10S	25
R-UWC 150V	26



\*Actual wheels may vary

## 950 CYLINDER TRUCK



\*Actual wheels may vary

### Specifications

Capacity	500 lb
Weight	30.6 lbs
Size	49"H x 17-7/8"W x 13-1/4)L

### Part # W-M82-B58

8" X 2" X 5/8"  
Mold-On Rubber Wheel



### Toe Plate Size

5" clear x 12" wide x 3/16" thick

### Special Features

Two-wheel Cylinder Truck





## 960 - 5 GALLON PAIL TRUCK

### Specifications

Capacity	800 lbs
Weight	31.6 lbs
Size	52-1/2"H x 17-3/4"W x 17-7/8)L

### Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



### Toe Plate Size

7" clear x 13" wide x 1/4" thick

### Special Features

5 Gallon Pail Truck

\*Actual wheels may vary

## D-4WS-CYKO



### Specifications

Capacity	700 lbs
Weight	48 lbs
Size	48.5"H x 23"W

### Toe Plate Size

7-1/2" clear x 17-1/2" wide 1/4" thick

### Special Features

Field tested kick-off mechanism for easy cylinder removal



### Part # W-SP10

10" X 3-1/2" X 5/8"

Flat Free Wheel



#### Kick-Off mechanism

1. Simply push cylinders slightly forward while pressing on kick-off pedal to slide truck forward underneath bottles.

## D-CYKO



### Specifications

Capacity	650 lbs
Weight	48 lbs
Size	48.5"H x 23"W

### Toe Plate Size

7-1/2" clear x 17-1/2" wide x 1/4" thick

### Special Features

Field-tested kick-off mechanism for easy cylinder removal

### Part # W-SP10

10" X 3-1/2" X 5/8"

Polyurethane Foam Wheel



### Part # W-N10

10" X 3-1/2" X 5/8"

Pneumatic Wheel



#### Kick-Off mechanism

1. Simply push cylinders slightly forward while pressing on kick-off pedal to slide truck forward underneath bottles.

\*Actual wheels may vary

## D-LC126, D-LC126N



### Specifications

Capacity	900 lbs
Weight	78 lbs
Size	58"H x 26"W

### Toe Plate Size

7" clear x 13" wide x 1/4" thick

### Special Features

5 Gallon Pail Truck

### Part # W-SP12

13" X 2-1/2" X 3/4"

Polyurethane Foam Wheel



### Part # W-N12

12" X 3-1/2" X 5/8"

Pneumatic Wheel



\*Actual wheels may vary

## D-LCA126, D-LCA126N

### Specifications

Capacity	900 lbs
Weight	78 lbs
Size	58"H x 26"W

### Toe Plate Size

7" clear x 13" wide x 1/4" thick

### Special Features

5 Gallon Pail Truck



### Part # W-SP12

13" X 2-1/2" X 3/4"

Polyurethane Foam Wheel



### Part # W-N12

12" X 3-1/2" X 5/8"

Pneumatic Wheel



\*Actual wheels may vary

## R-DTT10S TORCH TRUCK



### Specifications

Capacity	600 lbs
Weight	37 lbs
Size	49"H x 26"W

### Toe Plate Size

10" clear x 21" wide

### Part # W-S102.75

10" X 2-3/4" X 5/8"

Solid Rubber Wheel



## R-UWC 150V UTILITY WELD TRUCK

### Specifications

Capacity	300 lbs
Weight	30.8 lbs
Size	32-3/4" H x 13-1/2" W

### Part # W-C3SPUWC

6"x 2"  
Polyurethane Wheels

### Part # W-UWC62

3" Swivel Casters



# STEEL DELIVERY

Dutro delivery line is recommended for the route driver who depends on the durability and versatility of his handtruck. Wide variety of wheel options for all delivery conditions combined with Dutro's unique handle design makes Dutro the best delivery handtrucks available on the market. All axles are welded to the frame for extra stability.


## Special Features for Steel Delivery Trucks

- Folding Nose
- Heavy Duty
- Keg Hook
- Skid Stiffeners
- Wheel Guards

100	28
100-DLX55	29
100-DLX60	30
48PMP	31
510PSP	32
58PSDL	33
58PMP	34
58PMP-HD	35



# 100 DELIVERY



\*Actual wheels may vary

## Specifications

Capacity	800 lbs
Weight	35.4 lbs
Size	54-5/8"H x 17-5/8"W x 15-3/4)L

## Part # W-M82-B58

8"X 2" X 5/8"  
Mold-On Rubber Wheel



## Toe Plate Size

7" clear x 13" wide x 1/4" thick




### Instructions

1. Spot and level the load
2. Step down on EZE-OFF bar
3. Truck slides out from underneath the load

## 100-DLX55 DELIVERY

100-DLX-55 EZE-OFF handtrucks come with wheel guards, skid stiffeners and 17 1/2" wide toe plate. Available in 55" frame.



\*Actual wheels may vary

### Specifications

Capacity	800 lbs
Weight	41.2 lbs
Size	54-1/2"H x 17-3/4"W x 15-3/4)L

Part # W-M82-B58

8"X 2" X 5/8"

Mold-On Rubber Wheel



### Toe Plate Size

7" clear x 17-1/2" wide x 1/4" thick




#### Instructions

1. Spot and level the load
2. Step down on EZE-OFF bar
3. Truck slides out from underneath the load

## 100-DLX60 DELIVERY

100-DLX-55 EZE-OFF handtrucks come with wheel guards, skid stiffeners and 17 1/2" wide toe plate. Available in 60" frame.



### Specifications

Capacity	800 lbs
Weight	42 lbs
Size	60-3/8"H x 17-3/4"W x 15-3/4)L

Part # W-M82-B58

8"X 2"X 5/8"

Mold-On Rubber Wheel




### Toe Plate Size

7" clear x 17-1/2" wide x 1/4" thick



#### Instructions

1. Spot and level the load
2. Step down on EZE-OFF bar
3. Truck slides out from underneath the load



## 48PMP DELIVERY

### Specifications

Capacity	800 lbs
Weight	30.4 lbs
Size	46-1/8"H x 17-5/8"W x 15-3/4)L

### Toe Plate Size

7" clear x 13" wide x 1/4" thick



Actual wheels may vary

Part # W-M82-B58

8"X 2" X 5/8"

Mold-On Rubber Wheel



## 510PSP DELIVERY



### Specifications

Capacity	540 lbs
Weight	36.4 lbs
Size	54-3/4"H x 21"W x 18"L

### Toe Plate Size

7" clear x 13" wide x 1/4" thick

### Part # W-PR1037

10"X3.58"2-1/4" offset hub 5/8  
Flat Free Foam Field Wheel



### Part # W-S102.75

10" X 2-3/4" X 5/8"  
Solid Rubber Wheel



## 58PSDL DELIVERY



### Specifications

Capacity	800 lbs
Weight	34 lbs
Size	54-3/4"H x 17-5/8"W x 15-3/4)L

### Toe Plate Size

7" clear x 13" wide x 1/4" thick

### Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"  
Solid Rubber Wheel



\*Actual wheels may vary

## 58PMP, 58PMP-12 DELIVERY



### Specifications

Capacity	800 lbs
Weight	32.2 lbs
Size	54-3/4"H x 17-5/8"W x 15-3/4)L

### Toe Plate Size : 58PMP

7" clear x 13" wide x 1/4" thick

### Toe Plate Size : 58PMP-12

12" clear x 13" wide x 1/4" thick

### Part # W-M82-B58

8"X 2" X 5/8"

Mold-On Rubber Wheel



### Part # W-S8.52.5

8-1/2"X 2-1/2" X 5/8"

Solid Rubber Wheel



• Actual wheels may vary



## 58PMP-HD DELIVERY

### Specifications

Capacity	900 lbs
Weight	37.4 lbs
Size	55"H x 17-5/8"W x 15-3/4)L

### Toe Plate Size

7" clear x 13" wide x 1/4" thick

### Special Features

3/4" Heavy Duty Pipe Frame, Skid Stiffeners  
3/4" Axle

### Part # W-M82-B34

8" x 2" x 3/4" Mold on Rubber Wheel  
3/4" Ball Bearing  
Black Rubber (Hard Rubber) On Plastic  
Hub  
Smooth Tread  
Offset Hub, Hub Length: 2"  
\*\*Heavy Duty\*\* Wheel Capacity: 550 lbs  
per Wheel



\*Actual wheels may vary

## DRUM HANDLING

3000	37
3004	38
3023	39
3024	40
3034W	41



## 3000 DRUM TRUCK

Model 3000 with a floating axle, is designed to handle steel and fiber drum .



### Specifications

Capacity	1000 lbs
Weight	63.2 lbs
Size	61-1/2"H x 24-1/8"W x 17-3/4)L

### Part # W-M10

10" X 2-1/2" X 1"

Mold-On Rubber Wheel



## 3004 DRUM TRUCK



### Specifications

Capacity	1000 lbs
Weight	76.6 lbs
Size	42-1/4"H x 24-7/8"W x 53-1/4)L

### Special Features

4 Wheel Drum

### Part # W-M10

10" X 2-1/2" X 1"

Mold-On Rubber Wheel



### Part # M62

6" X 2" X 5/8"

Mold-On Rubber Wheel



## 3023

The Dutro Lowboy Triangular Drum Dolly features a patent pending design to allow the user to roll a dolly underneath a drum without the use of forklifts, drum lifters and other expensive equipment.

Heavy duty casters and heavy gauge steel for years of service. Easy bolt-together design allows for easy storage and quick replacement of parts. Tall clearance height allows for thresholds and large cement cracks.



### Specifications

Capacity	700 lbs
Weight	26 lbs
Size	5-5/8"H x 29-3/4"W x 26"L

### Part # W-C3SP-3023

10" X 2-1/2" X 1"
3" Swivel Caster



### Special Features

Triangle Drum Dolly

Heavy Duty casters and heavy gauge steel for years of service.

Easy bolt-together design allows for easy loading and unloading of drums.

## 3024 CAN DOLLEY



### Specifications

Capacity	700 lbs
Weight	15.2 lbs
Size	6"H x 24"W x 24)L

### Part # W-C3S

10" X 2-1/2" X 1"

3" Swivel Caster

Caster and Wheel



### Special Features

for 55 gallon drums.

## 3034W DRUM CRADLE



### Specifications

Capacity	700 lbs
Weight	26.4 lbs
Size	23-1/2"H x 16-3/8"W x 43-1/8)L

### Special Features

Drum Cradle

### Part # W-W31A

3" X 1" X 3/8"

Aluminum Wheel

## MATTRESS CART

2041-PT

43

2041-PT-W/O

44



## 2041-PT MATTRESS CART

Pillow-top Mattress Cart

### Specifications

Capacity	300 lb
Weight	59.2 lbs
Size	45-1/8"H x 29"W x 55)L

### Special Features

Also available without center divider  
(Part #2041-PT-W/O)

### Part # W-C5R

5" Rigid Caster  
Caster and Wheel



### Part # W-C4S

4" Swivel Caster  
Caster and Wheel



## 2041-PT-W/O MATTRESS CART



### Specifications

Capacity	300 lb
Weight	48.2 lbs
Size	45-1/8"H x 29"W x 55)L

### Special Features

Also available with centerline

#### Part # W-C5R

5" Rigid Caster

Caster and Wheel



#### Part # W-C4S

4" Swivel Caster

Caster and Wheel



## PIANO DOLLY

Long regarded as the number one rental appliance dollies, these all steel frame furniture dollies last many times longer than the cheap wood dollies.

1350	46
1354	47
1355	48



1350



Specific tions

Capacity	1400 lbs
Weight	21.8 lbs
Size	8-1/2"H x 13-3/4"W x 25"L

Part # W-M52

5" X 2"X 5/8"

Mold-On Rubber Wheel



1354



Specific tions

Capacity	1200 lbs
Weight	23.4 lbs
Size	8-7/8"H x 18-3/4"W x 25-1/2)L

Part # W-C5S

5" Swivel Caster

Caster and Wheel



1355



**Specific tions**

Capacity	1300 lbs
Weight	22.6 lbs
Size	8-7/8"H x 13-3/4"W x 25-1/2)L

**Special Features**

Easy Steering

**Part # W-C5S**

5" Swivel Caster
Caster and Wheel



**Part # W-M52**

5" X 2" X 5/8"
Mold-On Rubber Wheel



# PLATFORM

All items listed below, with the exception of the PT's, have a removable handle. Standard platform trucks feature rounded corners and recessed handle sockets on all four corners to help protect merchandise, personnel, and buildings. Constructed of 12 gauge material with 2" x 2" x 3/16" angle cross braces for caster mounting.

Any size deck can be furnished on request. In addition, heavy duty casters and wheels can be added to increase load capacity.

## Bolt-on Casters

PT's are the only platform truck to come with Casters. However, you can add casters to any platform truck. The ability to replace casters and choose the wheels to best suit your needs is an option few in the industry provide. This will add years to the longevity of your material handling products, quality is always our number one focus!

24x48 D/H	50
27x54 D/H	51
30x60 D/H	52
36x72 D/H	53



## 24x48 D/H

### Specifications

Capacity	1500 lbs
Weight	79.8 lbs
Size	38-1/4"H x 23-3/4"W x 51"L

### Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel



### Deck

23-3/4" x 47-3/4"

### Deck Height

11-5/8"



\*Actual wheels may vary

## 30x60 D/H

### Specifications

Capacity	1500 lbs
Weight	111 lbs
Size	38-1/4"H x 29-3/4"W x 63"L

Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel



### Deck

29-3/4" x 59-3/4"

### Deck Height

11-5/8"



\*Actual wheels may vary

## 27x54 D/H

### Specifications

Capacity	1500 lbs
Weight	93.2 lbs
Size	38-1/4"H x 26-3/4"W x 57"L

### Part # W-M82-B58

8"X 2" X 5/8"  
Mold-On Rubber Wheel



### Deck

26-3/4"x 53-3/4"

### Deck Height

11-5/8"



\*Actual wheels may vary



## 36X72 D/H

### Specifications

Capacity	1200 lbs
Weight	151.8 lbs
Size	38-1/4"H x 35-3/4"W x 75"L

Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel




### Deck

23-3/4" x 71-3/4"

### Deck Height

11-5/8"



Actual wheels may vary

# RETAIL

Dutro has taken their experience in quality industrial trucks and applied that knowledge to retail handtrucks. Realizing most consumers are not happy with the quality of the little red import trucks we have developed a line of long lasting yet economical handtrucks. Stop buying the disposable imports and buy a handtruck that will be ready for use for the rest of your life.

132E	55
137	56
138	57
RET50S	58
RET51S, RET51N	59
RET52S	60



# 132E



## Specifications

Capacity	500 lbs
Weight	39.6 lbs
Size	47"H x 22-1/4"W x 18-1/4)L

## Part # W-C4SP

4" Swivel Pin Caster  
1/2" X 13 X 1-1/2" Stem  
4"X1-1/4" X 3/8" Ball bearing gray  
non-marking rubber wheel




## Special Features

Economy 2-Way Convertible Truck

## Toe Plate Size

7-3/4" clear x 14" wide x 3/16" thick





#### Specifications

Capacity	400 lbs
Weight	26 lbs
Size	44-3/4"H x 18-3/4"W x 14-3/4)L

#### Special Features

Light Duty Truck

#### Toe Plate Size

6-3/4" clear x 14" wide x 3/16" thick

#### Part # W-S82.5

8" X 2-1/2" X 5/8"  
Solid Rubber Wheel



#### Part # W-N10

10" X 3-1/2" X 5/8"  
Pneumatic Wheel





#### Specifications

Capacity	400 lbs
Weight	31.8 lbs
Size	44-3/4"H x 18-3/4"W x 14-3/4)L

#### Special Features

Light Duty Truck with 25" Folding Nose

#### Toe Plate Size

6-3/4" clear x 14" wide x 3/16" thick



#### Part # W-S82.5

8" X 2-1/2" X 5/8"

Solid Rubber Wheel



#### Part # W-N10

10" X 3-1/2" X 5/8"

Pneumatic Wheel

## RET50S



### Specifications

Capacity	500 lbs
Weight	34.2 lbs
Size	49-1/8"H x 19-7/8"W x 18-3/8)L

Part # W-S102.75

10" X 2-3/4" X 5/8"

Solid Rubber Wheel




### Special Features

Continuous Loop Handle

### Toe Plate Size

7-7/8" clear x 14" wide x 3/16" thick

## RET51S, RET51N



### Specifications

Capacity	500 lbs
Weight	35.4 lbs
Size	50-5/8"H x 19-7/8"W x 18-3/8"L

### Special Features

Single Loop Handle

### Toe Plate Size

7-7/8" clear x 14" wide x 3/16" thick

### Part # W-S102.75

10" X 2-3/4" X 5/8"

Solid Rubber Wheel



### Part # W-PR1037

10"X3.58"2-1/4" offset hub 5/8

Flat Free Foam Field Wheel



## RET52S



### Specifications

Capacity	500 lbs
Weight	34 lbs
Size	47-3/8"H x 19-7/8"W x 18-1/2)L

### Special Features

Double Pin Handles

### Toe Plate Size

7-7/8" clear x 14" wide x 3/16" thick

### Part # W-S102.75

10" X 2-3/4" X 5/8"

Solid Rubber Wheel



# SALESMAN

903	62
904	63
908M	64



*\*Actual wheels may vary*

903



Specifications

Capacity	500 lbs
Weight	22.8 lbs
Size	44"H x 16-1/4"W x 10-1/2)L

Part # W-M52

5" X 2" X 5/8"  
Mold-On Rubber Wheel



Toe Plate Size

4-3/4" clear x 12" wide x 3/16" thick



**Specific tions**

Capacity	500 lbs
Weight	24 lbs
Size	44"H x 16-1/4"W x 10-1/2)L

**Toe Plate Size**

4-3/4" clear x 12" wide x 3/16" thick
16" Fold Nose

**Part # W-M52**

5" X 2" X 5/8"
Mold-On Rubber Wheel



## 908M



\*Actual wheels may vary

### Specifications

Capacity	500 lbs
Weight	24 lbs
Size	44"H x 16-1/4"W x 13-1/4)L

Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel



### Toe Plate Size

4-3/4" clear x 12" wide x 3/16" thick

16" Fold Nose



# SERVICE

## Specialty Service Carts

We offer a wide variety of specialty service carts. In addition, we can work with you to build a customized cart that fits our specific need.

## Options for Service Carts

- Brakes
- Writing Shelf
- Additional Shelves
- Inverting Pans

## Light Duty Service Carts

All welded, heavy duty construction made with 14 gauge steel pans 1 ½" deep with 4" swivel casters.

## Heavy Duty Service Carts

All welded, heavy duty construction made with 14 gauge steel pans 2 ¾" deep with two 5" rigid and two 5" swivel casters. Push handle on the swivel end is standard on all heavy duty carts. Pans may be reversed on request and extra pans are available. Specify lips up or down when ordering.

18x30 HD	66
24x36 HD	67
24x48 HD	68



## 18x30HD



### Specifications

Capacity	1200 lbs
Weight	60.4 lbs
Size	34"H x 18"W x 34-1/2"L

### Pan

17-3/4" x 29-3/4"



### Part # W-C5S

5" Swivel Caster

Caster and Wheel



### Part # W-C5R

5" Rigid Caster

Caster and Wheel

## 24x36HD



### Specifications

Capacity	1200 lbs
Weight	77.8 lbs
Size	34-1/8"H x 24"W x 40-3/8)L

### Pan

23-3/4" x 35-3/4"

Shelves may be ordered inverted for a smooth surface.



### Part # W-C5S

5" Swivel Caster

Caster and Wheel



### Part # W-C5R

5" Rigid Caster

Caster and Wheel

## 24X48HD



### Specifications

Capacity	1200 lbs
Weight	91.6 lbs
Size	34"H x 24-1/8"W x 52-5/8)L

### Pan

23-3/4" x 47-3/4"
-------------------



### Part # W-C5S

5" Swivel Caster
Caster and Wheel



### Part # W-C5R

5" Rigid Caster
Caster and Wheel

## SHOVEL NOSE TRUCK

808B	70
828S 828B	71
.....	.....



\*Actual wheels may vary

# 808B




## Specifications

Capacity	900 lb
Weight	47lbs
Size	50"H x 19"W x 22"L

## Special Features

- 1-1/4" 14-gauge tubing
- Shovel Nose Toe Plate Allows for Larger Loads
- Taller Frame Gives More Leverage Over Heavy Loads



\*Actual wheels may vary

## Part # W-M82-B34

8"X 2" X 3/4"  
Mold-on Rubber Wheel



## Part # W-S8.52.5

8-1/2" X 2-1/2" X 3/4"  
Solid Rubber Wheel



## 828S, 828B




\*Actual wheels may vary

### Specifications

Capacity	900 lb
Weight	51.4 lbs
Size	61-7/8"H x 19-3/4"W x 21-1/2"L

### Special Features

- 1-1/4" 14-gauge tubing
- Shovel Nose Toe Plate Allows for Larger Loads
- Taller Frame Gives More Leverage Over Heavy Loads



### Part # W-M82-B34

8"X 2" X 3/4"  
Mold-on Rubber Wheel



### Part # W-S8.52.5

8-1/2" X 2-1/2" X 3/4"  
Solid Rubber Wheel



## SPECIALTY

6016-UBT6	73
6018-UBT6	74
DWC2X4-8B	75



# 6016-UBT

Narrow Stocking Carts



## Specifications

Capacity	1500 lbs
Weight	88.2 lbs
Size	60-1/2"H x 16"W x 63-1/2)L

## Deck

9-1/8" h x 16" w x 60" l
--------------------------

## Special Features

Shelves
Non-marking wheels
Removable handles

## Part # W-M62

6" X 2" X 5/8"
Mold-On Rubber Wheel



## Part # W-C4S

4" Swivel Caster
Caster and Wheel



# 6018-UBT

Narrow Stocking Carts



## Specifications

Capacity	1500 lbs
Weight	95 lbs (without shelf)
Size	59-5/8"H x 18"W x 63-7/8)L

## Deck

9-1/8" H x 60" L
------------------

## Special Features

Optional shelf is available
Non-marking wheels
Removable handles

## Part # W-M62

6" X 2" X 5/8"
Mold-On Rubber Wheel



## Part # W-C4S

4" Swivel Caster
Caster and Wheel





## DWC2X4

DryWall Cart

### Specifications

Capacity	1600 lbs
Weight	81.6 lbs
Size	47"H x 48"W x 24)L

### Deck

40"W x 12-1/4" L (inside dimension)



### Part # W-M82-B58

8"X 2"X 5/8" Mold-on Rubber Wheel  
5/8" Ball Bearing  
Black Rubber (Hard Rubber) on Plastic  
Hub  
Smooth Tread  
Offset Hub, Hub Length: 2"  
\*\*Heavy Duty\*\* Wheel Capacity: 550 lbs  
per Wheel



### Part # W-M62

6"X 2"X 5/8"  
Mold-On Rubber Wheel

# STOCKING CART

Once again Dutro uses only the best in components. All of our tubular stocking trucks use high end casters adding extra quality where our competitors skimp. Our new CNC tube benders assure the quality of the frame. For the very best, look to the Blue!

Dutro tubular stock carts are made of 1" 14 gauge steel tubing and the all-welded construction makes them rugged and extremely durable. The 6 wheel tilt design allows easy turning in tight warehouse spaces or grocery store back rooms. With capacities up to 1400 lbs., these powder coated American made carts are capable of maximizing bulk loads. The casters and wheels provide smooth rolling even under heavy loads. Standard color: Dutro blue – other colors available on request. Please contact your local distributor for details.

H5B, H5B-SOLID	77
LT5B	78
SM18-53	79
SM58B	80
SM5B	81



## H5B, H5B-SOLID

Pictured with solid top, but also available with tube top. Cart has been redesigned so rigid and swivel can be mounted to either end.

### Specifications

Capacity	800 lbs
Weight	40 lb
Size	37"H x 18"W x 39-1/8)L



### Deck

27-1/4"H x 13"W x 35-1/8)L

### Part # W-C5SP

5" Swivel Caster

Caster and Wheel



### Part # W-C5R

5" Rigid Caster

Caster and Wheel



## LT5B

### Specifications

Capacity	800 lbs
Weight	48.2 lb
Size	30"H x 18-1/8"W x 36-1/8)L



Part # W-C5SP

5" Swivel Caster

Caster and Wheel



## SM18-53

### Specifications

Capacity	1400 lbs
Weight	59 lbs
Size	39-5/8"H x 18"W x 55"L

### Deck

10-7/8"H x 18"W x 50-1/8)L

\*Actual wheels may vary



### Part # W-C5SP

5" Swivel Caster

Caster and Wheel



### Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel



## SM58B



### Specifications

Capacity	1400 lbs
Weight	55.2 lbs
Size	37"H x 18"W x 43-1/8"L

### Part # W-C5SP

5" Swivel Caster

Caster and Wheel



### Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel



## SM5B



### Specifications

Capacity	800 lbs
Weight	59 lbs
Size	37"H x 18"W x 42-3/4"L

### Part # C5SP

5" Swivel Caster  
Caster and Wheel



### Part # W-C5R

5" Rigid Caster  
Caster and Wheel



# VENDING MACHINE

Designed to make moving appliances easier, the new belt systems and swing out put Dutro's vending trucks on top of the market in durability, design and function. The new one belt retract system allows you to do the job easier.

A special series of trucks for video games and vending machines. The "Brute" will move up to 1600 lbs. The large rear wheels pivot back to handle the big load. The "Brawny Brute" also moves 1600 lbs. and is designed for use with large (over 62" tall) vending machines.

A safety wheel lock is available on models 1872-SB, 1878-SB, 1888 and 1888-78.

The lock supplied with the Brawny Brute (optional on the Brute) is only for breaking over the load when stopped on a level surface. It is not to be used as a brake for stopping, slowing or retaining the loaded or unloaded unit on either flat or sloped surfaces.

Our vending trucks are widely used by the leading bottlers.



1866	83
1872	84
1878	85
1888	86
1888-78	87

# 1866



## Specifications

Capacity	1600 lbs
Weight	109.2 lbs
Size	66-3/8"H x 24-1/8"W x 16-1/4)L

## Tilt Back Angle

Tilt-back angle of truck is 60°

## Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

## Part # W-M52

5" X 2" X 5/8"  
Mold-on Rubber Wheel



## Part # W-M10

10" X 2-1/2" X 1"  
Mold-on Rubber Wheel





#### Specifications

Capacity	1600 lbs
Weight	112.2 lbs
Size	72-1/8"H x 24-1/8"W x 16-1/4)L

#### Tilt Back Angle

Tilt-back angle of truck is 60°

#### Options

Safety Wheel Lock  
Can add Safety Brake

#### Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

#### Part # W-M52

5" X 2" X 5/8"  
Mold-on Rubber Wheel



#### Part # W-M10

10" X 2-1/2" X 1"  
Mold-on Rubber Wheel



# 1878



## Specifications

Capacity	1600 lbs
Weight	116.2 lbs
Size	78-1/4"H x 24-1/8"W x 16-1/4)L

## Tiltback Angle

Tilt-back angle of truck is 60°

## Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

## Options

1878-SB Safety Brake  
Safety Wheel Lock



## Part # W-M52


5" X 2" X 5/8"  
Mold-on Rubber Wheel



## Part # W-M10

10" X 2-1/2" X 1"  
Mold-on Rubber Wheel





## 1888

The Brawny Brute comes with a unique concept of attaching the ratchet arm to the load. The arm grabs firmly at the top front of the load and pulls in and down. The minimum load height 62-1/2".

An optional lower belly strap is available on all 1888 models.

### Specifications

Capacity	1600 lbs
Weight	112.6 lbs
Size	72"H x 24-1/8"W x 16-1/2)L

### Tiltback Angle

60°

### Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

### Special Features

Overhead strap and arm

Safety Wheel Lock

### Part # W-M52

5" X 2" X 5/8"

Mold-on Rubber Wheel



### Part # W-M10

10" X 2-1/2" X 1"

Mold-on Rubber Wheel





## 1888-78

The minimum load height 68-1/2".

### Specifications

Capacity	1600 lbs
Weight	15.8 lbs
Size	78-1/4"H x 24-1/8"W x 16-1/4)L

### Tiltback Angle

Tilt-back angle of truck is 60°

### Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

### Special Features

Overhead strap and arm  
Safety Wheel Lock



### Part # W-M52

5" X 2" X 5/8"  
Mold-on Rubber Wheel



### Part # W-M10

10" X 2-1/2" X 1"  
Mold-on Rubber Wheel




# TOE PLATES

We can customize your toe plate to suit your every need.

58RMP	89
58PMP	89
48PMP	89
510PNP	89
510PNDL	89
100DLX60	89
100DLX55	89

\*Actual wheels may vary





## STEEL TOE PLATES

### Available Steel Toe Plates

#### P-Style Toe Plate

Our Standard Design – Well suited for most applications.

#### R-Style Toe Plate

Designed for carrying round objects such as cans, pails or buckets.



**58RMP**

R-Style Toe Plate



**510PNDL**

P-Style Toe Plate



**58PMP**

P-Style Toe Plate




**100DLX60**

DLX Toe Plate



**48PMP**

P-Style Toe Plate



**100DLX55**

DLX Toe Plate



**510PNP**

P-Style Toe Plate

# WHEELS

W – B10AOS	91
W – C4R	91
W – C4S	91
W – C4SP	91
W – C5R	91
W – C5S	91
W – C5SP	91
W – M10	91
W – M52	91
W – M62	92
W – N12	92
W – S102.75	92
W – S8.52.5	92
W – S82.5	92
W – SP8	92
W – SP10	93
W – SP12	93
W – W4	93
W – W5	93
W – M82-B58	93



## WHEELS



**Part # W-B10AOS**

10" X 2" X 5/8"

Balloon Wheel



**Part # W-C4R**

4" Swivel Caster

Caster and Wheel

Special Order Only



**Part # W-C4S**

4" Swivel Caster

Caster and Wheel



**Part # W-C4SP**

4"X1-1/4"X 3/8"

Ball Bearing Rubber Wheel



**Part # W-C5R**

5" Rigid Caster

Caster and Wheel



**Part # W-C5S**

5" Swivel Caster

Caster and Wheel



**Part # W-C5SP**

5" Swivel Caster

Caster and Wheel



**Part # W-M10**

10" X 2-1/2" X 1"

Mold-on Rubber Wheel



**Part # W-M52**

5" X 2" X 5/8"

Mold-on Rubber Wheel



## WHEELS



Part # W-M62

6" X 2" X 5/8"

Mold-On Rubber Wheel



Part # W-N12

12" X 3-1/2" X 5/8"

Pneumatic Wheel



Part # W-S82.5

8" X 2-1/2" X 5/8"

Solid Rubber Wheel



Part # W-S102.75

10" X 2-3/4" X 5/8"

Solid Rubber Wheel



Part # W-SP8

8-1/2" X 2-5/8" X 5/8"

Polyurethane Foam Wheel



Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"

Solid Rubber Wheel



## WHEELS



**Part # W-SP10**

10" X 3-1/2" X 5/8"

Polyurethane Foam Wheel



**Part # W-SP12**

13" X 2-1/2" X 3/4"

Polyurethane Foam Wheel



**Part # W-W4**

4" X 1-1/4"

Gray Non-Marking Rubber Wheel



**Part # W-W5**

5" X 1-1/4"

Gray Non-Marking Rubber Wheel



**Part # W-M82-B58**

8" X 2" X 5/8"

Mold-on Rubber



# REPLACEMENT PARTS

P – 73, P – 10, P – 11, P – 14	95
P – 15A, P – 15B, P – 15C, P – 15E, P – 15J, P – 15P	95
P – P – 16A	95
P – 16C, P – 16E, P – 184	96
P – 18C, P – 18D, P – 18F, P – 18G, P – 18H, P – 18L, P – 18TH	96
P – 21A, P – 23	97
P – 30, P – 31, P – 32, P – 35, P – 38	97
P – 70, P – 71, P – 72	97
P – 9	98
P – Belly Strap LCB 126	98
P – Spring 1800	98



## REPLACEMENT PARTS



P – 73  
2" Bumper, Blue Cross Piece  
1290 Appliance Trucks



P – 15B  
14' Strap Heavy Duty 3-Ply w/  
Roller  
Model 1900



P – 10  
1" Handle Grip  
Delivery Trucks

This product contains DEHP, a chemical known to the State of California to cause birth defects or other reproductive harm.



P – 15C  
Roller Buckle  
Appliance Trucks w/ 2 Piece  
Belts



P – 11  
1-1/4" Handle Grip  
Models 1900, 3000

This product contains DEHP, a chemical known to the State of California to cause birth defects or other reproductive harm.



P – 15E  
Strap for Offset – 2 Piece  
Model 1292 (2 piece belt)



P – 14  
Adjustable Strap Holder  
Appliance Truck Ratchet  
Assemblies



P – 15J  
Hook and Strap for  
LC126



P – 15A  
14' Strap Heavy Duty 3-Ply  
Appliance Trucks w/ Ratchets



P – 16A  
Offset Handle  
Model 1291, 1292

## REPLACEMENT PARTS



P-16C  
Offset Handle  
Models 1866, 1872 and 1878



P-16E  
Offset Handle  
Model 1888



P-18Y  
Connector Yoke



P-18C  
Small Wheel Axle  
1800 Series Trucks



P-18D  
Small Wheel Separator Tube  
1800 Series Trucks



P-18F  
Large Wheel Swing Assembly  
1800 Series Trucks




P-18G  
Swing Assembly Locking Mechanism  
1800 Series Trucks



P-18H  
Overhead Swing Arm w/ Strap  
Model 1888



P-18L  
Lower Latch Assembly  
1800 Series Trucks



P-18TH  
Connector Rod with T handle  
1800 Series Trucks

## REPLACEMENT PARTS



P – 21A

Stair Roller Complete  
Appliance and Vending Machine  
Trucks



P – 35

Hex Bar Ratchet Shaft  
Appliance Trucks



P – 23

Stair Roller V-Belt  
Part 21A – Aluminum Stair Roller



P – 38

Ratchet Complete – Less Belt  
Appliance Trucks




P – 30

Ratchet Handle  
Appliance Trucks



P – 70

1" Bumper, Blue Upright  
Appliance Trucks



P – 31

Ratchet Handle Spring  
Appliance Trucks




P – 71

1" Bumper, Blue Cross Piece  
Appliance Trucks



P – 32

Gear Holding Pawl Complete  
Appliance Trucks



P – 72

2" Bumper, Blue Upright  
1290 Appliance Trucks

## REPLACEMENT PARTS



P – P9

5/8" Handle Grip

Offset Crank Handles



P – Belly Strap LCB126

4' length



P – Spring - 1800

Spring for Brake or Swingout  
assembly